

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : *N,N,N',N'*-Tetramethylethylenediamine

Product Number : T9281  
Brand : Sigma

Supplier : Sigma-Aldrich  
3050 Spruce Street  
SAINT LOUIS MO 63103  
USA

Telephone : +1 800-325-5832  
Fax : +1 800-325-5052  
Emergency Phone # (For both supplier and manufacturer) : (314) 776-6555

Preparation Information : Sigma-Aldrich Corporation  
Product Safety - Americas Region  
1-800-521-8956

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

##### OSHA Hazards

Flammable liquid, Toxic by ingestion, Corrosive

##### GHS Classification

Flammable liquids (Category 2)  
Acute toxicity, Oral (Category 3)  
Acute toxicity, Inhalation (Category 3)  
Skin corrosion (Category 1B)  
Serious eye damage (Category 1)

##### GHS Label elements, including precautionary statements

Pictogram



Signal word : Danger

Hazard statement(s)

H225 : Highly flammable liquid and vapour.  
H301 + H331 : Toxic if swallowed or if inhaled  
H314 : Causes severe skin burns and eye damage.

Precautionary statement(s)

P210 : Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
P261 : Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P280 : Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P305 + P351 + P338 : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 : Immediately call a POISON CENTER or doctor/ physician.

##### HMIS Classification

Health hazard: 3  
Flammability: 3  
Physical hazards: 0

**NFPA Rating**

**Health hazard:** 3  
**Fire:** 3  
**Reactivity Hazard:** 0

**Potential Health Effects**

**Inhalation** May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.  
**Skin** May be harmful if absorbed through skin. Causes skin burns. May be harmful if absorbed through skin. Causes skin burns.  
**Eyes** Causes eye burns.  
**Ingestion** Toxic if swallowed.

---

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Formula : C<sub>6</sub>H<sub>16</sub>N<sub>2</sub>  
Molecular Weight : 116.2 g/mol

Component	Concentration
<b>N,N,N',N'-Tetramethylethylenediamine</b>	
CAS-No. 110-18-9	-
EC-No. 203-744-6	-
Index-No. 612-103-00-3	-

---

**4. FIRST AID MEASURES****General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

**If inhaled**

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

**In case of skin contact**

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

**In case of eye contact**

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

**If swallowed**

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

---

**5. FIREFIGHTING MEASURES****Conditions of flammability**

Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking.

**Suitable extinguishing media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**Special protective equipment for firefighters**

Wear self contained breathing apparatus for fire fighting if necessary.

**Hazardous combustion products**

Hazardous decomposition products formed under fire conditions. - Carbon oxides, nitrogen oxides (NOx)

**Further information**

Use water spray to cool unopened containers.

---

**6. ACCIDENTAL RELEASE MEASURES**

### **Personal precautions**

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

### **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### **Methods and materials for containment and cleaning up**

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

---

## **7. HANDLING AND STORAGE**

### **Precautions for safe handling**

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

### **Conditions for safe storage**

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Handle and store under inert gas. Air and moisture sensitive.

---

## **8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Contains no substances with occupational exposure limit values.

### **Personal protective equipment**

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### **Hand protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### **Splash contact**

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm

Break through time: 125 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Eye protection**

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin and body protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Hygiene measures**

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Appearance

Form	liquid, clear
Colour	colourless

### Safety data

pH	no data available
Melting point/freezing point	Melting point/range: -55 °C (-67 °F) - lit.
Boiling point	120 - 122 °C (248 - 252 °F) - lit.
Flash point	20 °C (68 °F) - closed cup
Ignition temperature	no data available
Auto-ignition temperature	no data available
Lower explosion limit	0.98 %(V)
Upper explosion limit	9.08 %(V)
Vapour pressure	no data available
Density	0.775 g/cm <sup>3</sup> at 20 °C (68 °F)
Water solubility	soluble
Partition coefficient: n-octanol/water	log Pow: 0.3
Relative vapour density	no data available
Odour	no data available
Odour Threshold	no data available
Evaporation rate	no data available

---

## 10. STABILITY AND REACTIVITY

### Chemical stability

Stable under recommended storage conditions.

### Possibility of hazardous reactions

Vapours may form explosive mixture with air.

### Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

### Materials to avoid

Strong oxidizing agents, Carbon dioxide (CO<sub>2</sub>), Copper

### Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, nitrogen oxides (NO<sub>x</sub>)  
Other decomposition products - no data available

---

## 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

#### Oral LD<sub>50</sub>

LD<sub>50</sub> Oral - rat - 268 mg/kg

#### Inhalation LC<sub>50</sub>

LC<sub>50</sub> Inhalation - rat - 4 h - 1318 ppm

**Dermal LD50**

LD50 Dermal - rabbit - 5,390 mg/kg

**Other information on acute toxicity**

no data available

**Skin corrosion/irritation**

no data available

**Serious eye damage/eye irritation**

Eyes - rabbit - Severe eye irritation

**Respiratory or skin sensitisation**

no data available

**Germ cell mutagenicity**

no data available

**Carcinogenicity**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity**

no data available

**Teratogenicity**

no data available

**Specific target organ toxicity - single exposure (Globally Harmonized System)**

no data available

**Specific target organ toxicity - repeated exposure (Globally Harmonized System)**

no data available

**Aspiration hazard**

no data available

**Potential health effects**

<b>Inhalation</b>	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.
<b>Ingestion</b>	Toxic if swallowed.
<b>Skin</b>	May be harmful if absorbed through skin. Causes skin burns. May be harmful if absorbed through skin. Causes skin burns.
<b>Eyes</b>	Causes eye burns.

**Signs and Symptoms of Exposure**

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema

**Synergistic effects**

no data available

**Additional Information**

RTECS: KV7175000

## 12. ECOLOGICAL INFORMATION

### Toxicity

no data available

### Persistence and degradability

no data available

### Bioaccumulative potential

no data available

### Mobility in soil

no data available

### PBT and vPvB assessment

no data available

### Other adverse effects

no data available

---

## 13. DISPOSAL CONSIDERATIONS

### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

### Contaminated packaging

Dispose of as unused product.

---

## 14. TRANSPORT INFORMATION

### DOT (US)

UN number: 3286 Class: 3 (6.1, 8) Packing group: II  
Proper shipping name: Flammable liquid, toxic, corrosive, n.o.s. (N,N,N',N'-Tetramethylethylenediamine)  
Marine pollutant: No  
Poison Inhalation Hazard: No

### IMDG

UN number: 2372 Class: 3 Packing group: II EMS-No: F-E, S-D  
Proper shipping name: 1,2-DI(DIMETHYLAMINO)ETHANE  
Marine pollutant: No

### IATA

UN number: 2372 Class: 3 Packing group: II  
Proper shipping name: 1,2-Di-(dimethylamino) ethane

---

## 15. REGULATORY INFORMATION

### OSHA Hazards

Flammable liquid, Toxic by ingestion, Corrosive

### SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

### Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

### Pennsylvania Right To Know Components

CAS-No.

Revision Date

N,N,N',N'-Tetramethylethylenediamine  
**New Jersey Right To Know Components**

110-18-9

2007-03-01

N,N,N',N'-Tetramethylethylenediamine

CAS-No.  
110-18-9

Revision Date  
2007-03-01

**California Prop. 65 Components**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

---

**16. OTHER INFORMATION**

**Further information**

Copyright 2013 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

---