SIGMA-ALDRICH

Material Safety Data Sheet

Version 4.5 Revision Date 11/21/2012 Print Date 12/24/2013

| 1. PRODUCT AND COMPANY IDENTIFICATION | | | | | | |
|--|---|---|--|--|--|--|
| Product name | | (−)-Nicotine | | | | |
| Product Number Brand | : | N3876 Sigma | | | | |
| Supplier | : | Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA | | | | |
| Telephone | : | +1 800-325-5832 | | | | |
| Fax | : | +1 800-325-5052 | | | | |
| Emergency Phone # (For both supplier and manufacturer) | : | (314) 776-6555 | | | | |
| Preparation Information | : | Sigma-Aldrich Corporation Product Safety - Americas Region 1-800-521-8956 | | | | |

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Target Organ Effect, Highly toxic by ingestion, Highly toxic by skin absorption, Teratogen

Target Organs

Peripheral nervous system, Central nervous system, Skeletal muscle., Gastro-intestinal system

GHS Classification

Acute toxicity, Oral (Category 2) Acute toxicity, Dermal (Category 1) Acute aquatic toxicity (Category 1)

GHS Label elements, including precautionary statements

0

Pictogram



| Signal word | Danger |
|--|---|
| Hazard statement(s) H300 + H310 H400 | Fatal if swallowed or in contact with skin Very toxic to aquatic life. |
| Precautionary statement(s P264 P273 P280 P302 + P350 P310 |) Wash hands thoroughly after handling. Avoid release to the environment. Wear protective gloves/ protective clothing. IF ON SKIN: Gently wash with plenty of soap and water. Immediately call a POISON CENTER or doctor/ physician. |
| HMIS Classification Health hazard: Chronic Health Hazard: Flammability: | 4 * 1 |

Physical hazards:

| NFPA Rating Health hazard: Fire: Reactivity Hazard: | 4 1 0 |
|--|--|
| Potential Health Effects | |
| Inhalation Skin Eyes Ingestion | May be harmful if inhaled. May cause respiratory tract irritation. May be fatal if absorbed through skin. May cause skin irritation. May cause eye irritation. May be fatal if swallowed. |

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Synonyms | L(-)-3-(N-Methyl)-α-pyrrolidyl)pyridin (-)-1-Methyl-2-(3-pyridyl)pyrrolidine | |
|-----------------------------|---|---------------|
| Formula Molecular Weight | : C ₁₀ H ₁₄ N ₂ : 162.23 g/mol | |
| Component | | Concentration |
| (-)-Nicotine | | |

| (-)-NICOTINE | | | |
|--------------|--------------|---|--|
| CAS-No. | 54-11-5 | - | |
| EC-No. | 200-193-3 | | |
| Index-No. | 614-001-00-4 | | |
| | | | |

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Conditions of flammability

Not flammable or combustible.

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, nitrogen oxides (NOx)

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Store under inert gas. Hygroscopic. Air and light sensitive.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value | Control parameters | Basis | |
|--------------|---|------------------|--------------------|---|--|
| (-)-Nicotine | 54-11-5 TWA | | 0.5 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants | |
| Remarks | Skin designa | Skin designation | | | |
| | | TWA | 0.5 mg/m3 | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000 | |
| | Skin notation | | | | |
| | | TWA | 0.5 mg/m3 | USA. NIOSH Recommended Exposure Limits | |
| | Potential for dermal absorption | | | | |
| | | TWA | 0.5 mg/m3 | USA. ACGIH Threshold Limit Values (TLV) | |
| | Central Nervous System impairment Gastrointestinal damage Cardiac impairment Danger of cutaneous absorption | | | | |

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: > 480 min Material tested:Butoject® (Aldrich Z677647, Size M)

Splash protection Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: > 30 min Material tested:Camatril® (Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

| · • | opourunoo | |
|-----|---|---|
| | Form | clear, liquid |
| | Colour | dark brown |
| Sa | afety data | |
| | рН | 10.2 |
| | Melting point/freezing point | Melting point/range: -79 °C (-110 °F) |
| | Boiling point | 247 °C (477 °F) at 993 hPa (745 mmHg) |
| | Flash point | 101 °C (214 °F) - closed cup |
| | Ignition temperature | 244 °C (471 °F) |
| | Autoignition temperature | no data available |
| | Lower explosion limit | no data available |
| | Upper explosion limit | no data available |
| | Vapour pressure | 0.051 hPa (0.038 mmHg) at 25 °C (77 °F) |
| | Density | 1.010 g/cm3 at 20 °C (68 °F) |
| | Water solubility | completely miscible |
| | Partition coefficient: n-octanol/water | log Pow: 1.17 |
| | Solubility in other solvents | Ethanol 50 g/l |
| | Relative vapour density | 5.6 - (Air = 1.0) |
| | Odour | no data available |
| | Odour Threshold | no data available |
| | Evaporation rate | no data available |
| | | |

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

no data available

Conditions to avoid no data available

Materials to avoid Strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, nitrogen oxides (NOx) Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50 LD50 Oral - rat - 50 mg/kg

Inhalation LC50 no data available

Dermal LD50 no data available

Other information on acute toxicity no data available

Skin corrosion/irritation no data available

Serious eye damage/eye irritation no data available

Respiratory or skin sensitization no data available

Germ cell mutagenicity

no data available

Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Teratogenicity

Possible risk of congenital malformation in the fetus.

Specific target organ toxicity - single exposure (Globally Harmonized System) no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

Aspiration hazard no data available

Potential health effects

| Inhalation | May be harmful if inhaled. May cause respiratory tract irritation. |
|------------|--|
| Ingestion | May be fatal if swallowed. |
| Skin | May be fatal if absorbed through skin. May cause skin irritation. |
| Eyes | May cause eye irritation. |

Signs and Symptoms of Exposure

prolonged or repeated exposure can cause:, Vomiting, Diarrhoea, Convulsions, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects

no data available

Additional Information

RTECS: QS5250000

12. ECOLOGICAL INFORMATION

Toxicity

Toxicity to fishLC50 - Oncorhynchus mykiss (rainbow trout) - 4 mg/l - 96.0 hToxicity to daphnia
and other aquatic
invertebratesEC50 - Daphnia magna (Water flea) - 0.24 mg/l - 48 h

Persistence and degradability no data available

Bioaccumulative potential

no data available

Mobility in soil no data available

PBT and vPvB assessment no data available

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life.

13. DISPOSAL CONSIDERATIONS

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1654 Class: 6.1 Proper shipping name: Nicotine Reportable Quantity (RQ): 100 lbs Marine pollutant: No Poison Inhalation Hazard: No Packing group: II

IMDG

| | UN number: 1654 Class: 6.1 Proper shipping name: NICOTINE Marine pollutant: No | Packing group: II | EMS-No: F-A, S-A | |
|-----|---|--------------------------------|--|-----------------------------------|
| | IATA UN number: 1654 Class: 6.1 Proper shipping name: Nicotine | Packing group: II | | |
| 15. | REGULATORY INFORMATION | | | |
| | OSHA Hazards Target Organ Effect, Highly toxic by ingest | ion, Highly toxic by skin abso | orption, Teratogen | |
| | SARA 302 Components The following components are subject to re | eporting levels established by | · · | |
| | (-)-Nicotine | | CAS-No. 54-11-5 | Revision Date 2008-11-03 |
| | SARA 313 Components The following components are subject to re (-)-Nicotine | eporting levels established by | y SARA Title III, Section 31 CAS-No. 54-11-5 | 3: Revision Date 2008-11-03 |
| | SARA 311/312 Hazards Acute Health Hazard, Chronic Health Haza | ard | | |
| | Massachusetts Right To Know Compon | ents | | |
| | (-)-Nicotine | | CAS-No. 54-11-5 | Revision Date 2008-11-03 |
| | Pennsylvania Right To Know Compone | nts | | |
| | (-)-Nicotine | | CAS-No. 54-11-5 | Revision Date 2008-11-03 |
| | New Jersey Right To Know Component | s | | |
| | (-)-Nicotine | | CAS-No. 54-11-5 | Revision Date 2008-11-03 |
| | California Prop. 65 Components WARNING! This product contains a cl California to cause birth defects or oth (-)-Nicotine | | of CAS-No. 54-11-5 | Revision Date 2007-09-28 |

16. OTHER INFORMATION

Further information

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.