

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Sodium fluoride

Product Number : 201154  
Brand : Sigma-Aldrich

Supplier : Sigma-Aldrich  
3050 Spruce Street  
SAINT LOUIS MO 63103  
USA

Telephone : +1 800-325-5832  
Fax : +1 800-325-5052  
Emergency Phone # (For both supplier and manufacturer) : (314) 776-6555

Preparation Information : Sigma-Aldrich Corporation  
Product Safety - Americas Region  
1-800-521-8956

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

##### OSHA Hazards

Target Organ Effect, Highly toxic by ingestion, Irritant

##### Target Organs

Kidney, Heart, Bone, Nerves., Gastrointestinal tract, Teeth., Damage to the lungs. Kidney, Heart, Bone, Nerves., Gastrointestinal tract, Teeth., Damage to the lungs.

##### GHS Classification

Acute toxicity, Oral (Category 2)  
Skin irritation (Category 2)  
Eye irritation (Category 2A)  
Acute aquatic toxicity (Category 3)

##### GHS Label elements, including precautionary statements

Pictogram



Signal word : Danger

Hazard statement(s)

H300 : Fatal if swallowed.  
H315 : Causes skin irritation.  
H319 : Causes serious eye irritation.  
H402 : Harmful to aquatic life.

Precautionary statement(s)

P264 : Wash hands thoroughly after handling.  
P301 + P310 : IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.  
P305 + P351 + P338 : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

##### Other hazards

Contact with acids liberates very toxic gas.

**HMIS Classification**  
Health hazard: 3  
Chronic Health Hazard: \*  
Flammability: 0  
Physical hazards: 0

**NFPA Rating**  
Health hazard: 3  
Fire: 0  
Reactivity Hazard: 0

**Potential Health Effects**

**Inhalation** May be harmful if inhaled. Causes respiratory tract irritation.  
**Skin** May be harmful if absorbed through skin. Causes skin irritation.  
**Eyes** Causes eye irritation.  
**Ingestion** May be fatal if swallowed.

---

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Formula : FNa  
Molecular Weight : 41.99 g/mol

Component	Concentration
<b>Sodium fluoride</b>	
CAS-No.	7681-49-4
EC-No.	231-667-8
Index-No.	009-004-00-7

---

**4. FIRST AID MEASURES**

**General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area. Hydrofluoric (HF) acid burns require immediate and specialized first aid and medical treatment. Symptoms may be delayed up to 24 hours depending on the concentration of HF. After decontamination with water, further damage can occur due to penetration/absorption of the fluoride ion. Treatment should be directed toward binding the fluoride ion as well as the effects of exposure. Skin exposures can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. More serious skin exposures may require subcutaneous calcium gluconate except for digital areas unless the physician is experienced in this technique, due to the potential for tissue injury from increased pressure. Absorption can readily occur through the subungual areas and should be considered when undergoing decontamination. Prevention of absorption of the fluoride ion in cases of ingestion can be obtained by giving milk, chewable calcium carbonate tablets or Milk of Magnesia to conscious victims. Conditions such as hypocalcemia, hypomagnesemia and cardiac arrhythmias should be monitored for, since they can occur after exposure.

**If inhaled**

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

**In case of skin contact**

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

**In case of eye contact**

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**If swallowed**

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

---

**5. FIREFIGHTING MEASURES**

**Conditions of flammability**

Not flammable or combustible.

**Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry powder

**Special protective equipment for firefighters**

Wear self contained breathing apparatus for fire fighting if necessary.

**Hazardous combustion products**

Hazardous decomposition products formed under fire conditions. - Hydrogen fluoride, Sodium oxides

**Further information**

The product itself does not burn.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions**

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

**Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

**Methods and materials for containment and cleaning up**

Pick up and arrange disposal without creating dust. Sweep up and shovel. Do not flush with water. Keep in suitable, closed containers for disposal.

**7. HANDLING AND STORAGE****Precautions for safe handling**

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.

**Conditions for safe storage**

Keep container tightly closed in a dry and well-ventilated place.  
Never allow product to get in contact with water during storage. Do not store near acids.  
Moisture sensitive. Keep in a dry place.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Components with workplace control parameters**

Components	CAS-No.	Value	Control parameters	Basis
Sodium fluoride	7681-49-4	TWA	2.5 mg/m <sup>3</sup>	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	2.5 mg/m <sup>3</sup>	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		TWA	2.5 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)
		TWA	2.5 mg/m <sup>3</sup>	USA. Occupational Exposure Limits (OSHA) - Table Z2
		TWA	2.5 mg/m <sup>3</sup>	USA. NIOSH Recommended Exposure Limits
		TWA	2.5 mg/m <sup>3</sup>	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
Remarks	CAS number varies with compound			
		TWA	2.5 mg/m <sup>3</sup>	USA. Occupational Exposure Limits (OSHA) - Table Z2
	Z37.28-1969			
		TWA	2.5 mg/m <sup>3</sup>	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		TWA	2.5 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)
	Bone damage Fluorosis Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Not classifiable as a human carcinogen varies			

## Personal protective equipment

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

#### Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374  
If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin and body protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Appearance

Form powder

Colour white

### Safety data

pH no data available

Melting point/freezing point Melting point/range: 993 °C (1,819 °F)

Boiling point no data available

Flash point no data available

Ignition temperature no data available

Auto-ignition temperature no data available

Lower explosion limit no data available

Upper explosion limit no data available

Vapour pressure 1.9 hPa (1.4 mmHg)

Density	2.780 g/cm <sup>3</sup>
Water solubility	no data available
Partition coefficient: n-octanol/water	no data available
Relative vapour density	no data available
Odour	no data available
Odour Threshold	no data available
Evaporation rate	no data available

---

## 10. STABILITY AND REACTIVITY

### Chemical stability

Stable under recommended storage conditions.

### Possibility of hazardous reactions

no data available

### Conditions to avoid

Exposure to moisture.

### Materials to avoid

Strong acids

### Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Hydrogen fluoride, Sodium oxides  
Other decomposition products - no data available

---

## 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

#### Oral LD50

LD50 Oral - rat - 31 mg/kg

LD50 Oral - mouse - 44 mg/kg

LD50 Oral - rabbit - 200 mg/kg

LD50 Oral - Domestic Animals - 100 mg/kg

Remarks: Behavioral:Somnolence (general depressed activity). Nutritional and Gross Metabolic:Weight loss or decreased weight gain.

LD50 Oral - Bird (wild) - 110 mg/kg

TDLo Oral - Human - 0.214 mg/kg

Remarks: Behavioral:Headache. Gastrointestinal:Changes in structure or function of salivary glands.

TDLo Oral - Human - 3.57 mg/kg

Remarks: Gastrointestinal:Changes in structure or function of salivary glands. Gastrointestinal:Other changes.

TDLo Oral - Human - male - 1,662 mg/kg

TDLo Oral - Human - female - 7 mg/kg

Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Ptosis. Cyanosis

TDLo Oral - mouse - 0.0084 mg/kg

Remarks: Gastrointestinal:Decreased motility or constipation.

TDLo Oral - mouse - 0.034 mg/kg

LDLO Oral - Human - 71 mg/kg

Remarks: Behavioral:Tremor. Musculoskeletal:Changes in teeth and supporting structures. Musculoskeletal:Other changes.

LDLO Oral - Human - 32 mg/kg

LDLO Oral - Human - 0.07 mg/kg

Remarks: Cardiac:Arrythmias (including changes in conduction). Peripheral Nerve and Sensation:Recording from peripheral motor nerve.

LDLO Oral - Human - female - 90 mg/kg

Remarks: Behavioral:Fluid intake. Behavioral:Muscle weakness.

LDLO Oral - Human - female - 360 mg/kg

Remarks: Cyanosis

#### **Inhalation LC50**

no data available

#### **Dermal LD50**

no data available

#### **Other information on acute toxicity**

TDLo Intradermal - Human - 0.014 mg/kg

Remarks: Peripheral Nerve and Sensation:Paresthesia.

TDLo Parenteral - rat - 9 mg/kg

Remarks: Endocrine:Hyperglycemia. Blood:Changes in serum composition (e.g., TP, bilirubin, cholesterol).

Biochemical:Enzyme inhibition, induction, or change in blood or tissue levels:Hepatic microsomal mixed oxidase (dealkylation, hydroxylation, etc.).

TDLo Parenteral - rat - 35 mg/kg

Remarks: Vascular:BP lowering not characterized in autonomic section. Kidney, Ureter, Bladder:Urine volume increased.

LDLO Subcutaneous - rabbit - 100 mg/kg

LDLO Subcutaneous - guinea pig - 100 mg/kg

LDLO Intraperitoneal - dog - 50 mg/kg

LDLO Subcutaneous - dog - 155 mg/kg

LDLO Subcutaneous - cat - 14 mg/kg

LD50 Intraperitoneal - rat - 22 mg/kg

LD50 Intravenous - rat - 26 mg/kg

Remarks: Nutritional and Gross Metabolic:Weight loss or decreased weight gain.

LD50 Subcutaneous - rat - 175 mg/kg

LD50 Intraperitoneal - mouse - 38 mg/kg

Remarks: Gastrointestinal:Other changes. Liver:Other changes. Kidney, Ureter, Bladder:Other changes.

LD50 Intravenous - mouse - 50.83 mg/kg

Remarks: Liver:Other changes. Kidney, Ureter, Bladder:Other changes. Gastrointestinal:Other changes.

LD50 Subcutaneous - mouse - 0.115 mg/kg

LD50 Intravenous - Monkey - 26.6 mg/kg

#### **Skin corrosion/irritation**

##### **Serious eye damage/eye irritation**

Eyes - rabbit - Eye irritation - 24 h

Remarks: Moderate eye irritation

##### **Respiratory or skin sensitisation**

no data available

##### **Germ cell mutagenicity**

no data available

#### **Carcinogenicity**

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Sodium fluoride)  
3 - Group 3: Not classifiable as to its carcinogenicity to humans (Sodium fluoride)

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

### Reproductive toxicity

no data available

### Teratogenicity

no data available

### Specific target organ toxicity - single exposure (Globally Harmonized System)

no data available

### Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

### Aspiration hazard

no data available

### Potential health effects

<b>Inhalation</b>	May be harmful if inhaled. Causes respiratory tract irritation.
<b>Ingestion</b>	May be fatal if swallowed.
<b>Skin</b>	May be harmful if absorbed through skin. Causes skin irritation.
<b>Eyes</b>	Causes eye irritation.

### Signs and Symptoms of Exposure

prolonged or repeated exposure can cause:; Damage to the lungs.

### Synergistic effects

no data available

### Additional Information

RTECS: WB0350000

---

## 12. ECOLOGICAL INFORMATION

### Toxicity

Toxicity to fish	mortality NOEC - <i>Cyprinodon variegatus</i> (sheepshead minnow) - 500 mg/l - 96 h LC50 - <i>Oncorhynchus mykiss</i> (rainbow trout) - 200 mg/l - 96 h
Toxicity to daphnia and other aquatic invertebrates	EC50 - <i>Daphnia magna</i> (Water flea) - 98 mg/l - 48 h

### Persistence and degradability

### Bioaccumulative potential

Bioaccumulation	<i>Salmo trutta</i> - 10 d Bioconcentration factor (BCF): 2.3
-----------------	--

**Mobility in soil**  
no data available

**PBT and vPvB assessment**  
no data available

**Other adverse effects**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Harmful to aquatic life.

no data available

---

**13. DISPOSAL CONSIDERATIONS**

**Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

**Contaminated packaging**

Dispose of as unused product.

---

**14. TRANSPORT INFORMATION**

**DOT (US)**

UN number: 1690 Class: 6.1 Packing group: III  
Proper shipping name: Sodium fluoride, solid  
Reportable Quantity (RQ): 1000 lbs  
Marine pollutant: No  
Poison Inhalation Hazard: No

**IMDG**

UN number: 1690 Class: 6.1 Packing group: III EMS-No: F-A, S-A  
Proper shipping name: SODIUM FLUORIDE, SOLID  
Marine pollutant: No

**IATA**

UN number: 1690 Class: 6.1 Packing group: III  
Proper shipping name: Sodium fluoride, solid

---

**15. REGULATORY INFORMATION**

**OSHA Hazards**

Target Organ Effect, Highly toxic by ingestion, Irritant

**SARA 302 Components**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313 Components**

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**SARA 311/312 Hazards**

Acute Health Hazard, Chronic Health Hazard

**Massachusetts Right To Know Components**

Sodium fluoride

CAS-No.  
7681-49-4

Revision Date  
2007-03-01

**Pennsylvania Right To Know Components**

Sodium fluoride

CAS-No.  
7681-49-4

Revision Date  
2007-03-01



## New Jersey Right To Know Components

Sodium fluoride

CAS-No.  
7681-49-4

Revision Date  
2007-03-01

### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

---

## 16. OTHER INFORMATION

### Further information

Copyright 2013 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

---