Material Safety Data Sheet

Version 5.2 Revision Date 07/08/2013 Print Date 11/22/2013

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : 2,4-Dinitrophenol

Product Number : D198501 Brand : Aldrich

Supplier : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052 Emergency Phone # (For : (314) 776-6555

both supplier and

manufacturer)

Preparation Information : Sigma-Aldrich Corporation

Product Safety - Americas Region

1-800-521-8956

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Flammable solid, Toxic by inhalation., Toxic by ingestion, Toxic by skin absorption

Target Organs

Liver, Central nervous system, Eyes, Kidney, Blood, Lungs

GHS Classification

Acute toxicity, Oral (Category 3) Acute toxicity, Inhalation (Category 3) Acute toxicity, Dermal (Category 3)

Skin irritation (Category 3)

Specific target organ toxicity - repeated exposure (Category 2)

Acute aquatic toxicity (Category 1)

GHS Label elements, including precautionary statements

Danger

•

Hazard statement(s)

Pictogram

Signal word

H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled

H316 Causes mild skin irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

Precautionary statement(s)

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.

P311 Call a POISON CENTER or doctor/ physician.

Other hazards

Explosive when dry.

HMIS Classification

Health hazard: 2
Chronic Health Hazard: *
Flammability: 0
Physical hazards: 4

NFPA Rating

Health hazard: 3 Fire: 0 Reactivity Hazard: 4

Potential Health Effects

InhalationToxic if inhaled. May cause respiratory tract irritation.SkinToxic if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation. **Ingestion** Toxic if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms : α-Dinitrophenol

Component		Concentration
2,4-Dinitrophenol		
CAS-No.	51-28-5	90 100 %
EC-No.	200-087-7	
Index-No.	609-041-00-4	

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Conditions of flammability

Flammable in the presence of a source of ignition, through friction or retained heat. Keep away from heat/sparks/open flame/hot surface. No smoking.

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, nitrogen oxides (NOx)

Aldrich - D198501 Page 2 of 7

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

Light sensitive. Heat sensitive.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Aldrich - D198501 Page 3 of 7

Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form solid

Colour no data available

Safety data

pH no data available

Melting point/range: 108 - 112 °C (226 - 234 °F) - lit.

point/freezing point

Boiling point no data available
Flash point no data available
Ignition temperature no data available
Auto-ignition no data available

temperature

Lower explosion limit no data available
Upper explosion limit no data available
Vapour pressure no data available
Density no data available
Water solubility no data available
Partition coefficient: no data available

n-octanol/water

Relative vapour

density

no data available

Odour no data available
Odour Threshold no data available
Evapouration rate no data available

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

no data available

Conditions to avoid

no data available

Materials to avoid

no data available

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, nitrogen oxides (NOx) Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50

LDLO Oral - Human - 36.0 mg/kg

Aldrich - D198501 Page 4 of 7

Remarks: Behavioral:Coma. Cardiac: Change in rate. Nutritional and Gross Metabolic:Changes in:Body temperature increase.

LD50 Oral - rat - 30.0 mg/kg

Inhalation LC50

no data available

Dermal LD50

no data available

Other information on acute toxicity

LD50 Subcutaneous - rat - 25 mg/kg

Skin corrosion/irritation

Skin - rabbit - Mild skin irritation - 672 h

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Teratogenicity

no data available

Specific target organ toxicity - single exposure (Globally Harmonized System)

no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

no data available

Potential health effects

Inhalation Toxic if inhaled. May cause respiratory tract irritation.

Ingestion Toxic if swallowed.

Skin Toxic if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation.

Signs and Symptoms of Exposure

Aldrich - D198501 Page 5 of 7

Disrupts oxidative phosphorylation which results in increased metabolism, consumption of oxygen and production of heat., sudden onset of:, Thirst, Sweating, Nausea, Vomiting, Weakness, Dizziness, Vertigo, Headache, loss of appetite, Liver injury may occur., Dermatitis, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects

no data available

Additional Information

RTECS: Not available

12. ECOLOGICAL INFORMATION

Toxicity

Toxicity to fish LC50 - Cyprinodon variegatus (sheepshead minnow) - 13.0 - 36.3 mg/l - 96.0 h

LC50 - Lepomis macrochirus (Bluegill) - 1.76 - 5.9 mg/l - 96.0 h

NOEC - Cyprinodon variegatus (sheepshead minnow) - 10.0 mg/l - 96.0 h static test LC50 - Oncorhynchus mykiss (rainbow trout) - 0.39 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 6.10 - 7.00 mg/l - 24 h

LC50 - Daphnia magna (Water flea) - 4.1 mg/l - 48 h

Toxicity to algae EC50 - Desmodesmus subspicatus (green algae) - 40.00 mg/l - 48 h

EC50 - SELENASTRUM - 5.55 - 17.40 mg/l - 72 h

Persistence and degradability

Bioaccumulative potential

Bioaccumulation Cyprinodon variegatus (sheepshead minnow) - 96 h

Bioconcentration factor (BCF): 10

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life.

13. DISPOSAL CONSIDERATIONS

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1320 Class: 4.1 (6.1) Packing group: I

Proper shipping name: Dinitrophenol, wetted

Reportable Quantity (RQ): 10 lbs

Marine pollutant: No

Poison Inhalation Hazard: No

Aldrich - D198501 Page 6 of 7

IMDG

UN number: 1320 Class: 4.1 (6.1) Packing group: I EMS-No: F-B, S-J

Proper shipping name: DINITROPHENOL, WETTED

Marine pollutant: Marine pollutant

IATA

UN number: 1320 Class: 4.1 (6.1) Packing group: I

Proper shipping name: Dinitrophenol, wetted

15. REGULATORY INFORMATION

OSHA Hazards

Flammable solid, Toxic by inhalation., Toxic by ingestion, Toxic by skin absorption

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date 2,4-Dinitrophenol 51-28-5 2007-07-01

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

Massachusetts Right To Know Components

2,4-Dinitrophenol	CAS-No. 51-28-5	Revision Date 2007-07-01
Pennsylvania Right To Know Components		
,	CAS-No.	Revision Date
2,4-Dinitrophenol	51-28-5	2007-07-01
Water	7732-18-5	
New Jersey Right To Know Components		
, ,	CAS-No.	Revision Date

 2,4-Dinitrophenol
 51-28-5

 Water
 7732-18-5

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

2007-07-01

16. OTHER INFORMATION

Further information

Copyright 2013 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Aldrich - D198501 Page 7 of 7